Scotsman®

SCOTSMAN CATALOGUE 2027





MAKE ICE COOL

MAKING ART WITH ICE


Scotsman

Welcome to Scotsman



The industry's only complete solution for highly efficient, superior-performing ice systems.



Worldwide footprint



Manufacturing facilities strategically located in the USA, Italy and China to better serve our markets. With over one million ice makers installed, you can rely on the widest network of distributors, dealers and service agents.



Unmatched Market Coverage



We have the largest network in the world, distributing products in over 100 countries and serving over a million customers.

International HQ
MILAN

Americas HQ
CHICAGO

Regional Office
DUBAI

Regional Office
SINGAPORE

Sales Office
JOHANNESBURG

Sales Office
MADRID

Sales Office
SHANGHAI







Hotels and
Fine Dining



Premium
Mixology



QSR and
Casual Dining



Coffee Chains
and Speciality



Airlines and
Cruise Ships



Food Retail &
CVs Stores

The new era of Scotsman ice machines



EXS

THE NEW SQUARE CUBE SERIES



EXG

THE NEXT GOURMET GENERATION

Discover
more



NXW

THE NEXT
DICE ICE SERIES



DXN

THE REVOLUTION
IN ICE DISPENSING

Every cube, an experience





Square
gourmet ice



Gourmet
Ice



Dice
Ice



Nugget &
Cubelet Ice



Flake
Ice



Scale
Ice



SQUARE GOURMET



Perfectly square and clear, solid, and slow-melting, it is ideal for enhancing premium cocktails, whisky, spirits, and high-end mixed drinks.



Square Gourmet

24 g - Ø 30 mm
H 30 mm

NEW EXS SERIES - R290

XSafe

Specsheets



- **XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute cleaning and hygiene. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
- **Clean alert:** advises with a blink when it's time to clean the filter.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped.
- **PWD - Progressive Water Discharge:** pumps excess residual water up to a distance of 15 meters.
- **Built-in storage bin:** allows most undercounter installations for easier fit-in solutions.
- **EcoX:** products using natural refrigerants only, Hydrocarbons R290

EXS 87

Cube size:
Square cube
Condensing system:
Air cooled
Water cooled
Max daily production:
48 kg Square cube



Storage bin capacity:
17 kg
Dimensions:
W 485 mm
D 575 mm
H 813 mm

EXS 107

Cube size:
Square cube
Condensing system:
Air cooled
Water cooled
Max daily production:
56 kg Square cube



Storage bin capacity:
20 kg
Dimensions:
W 485 mm
D 575 mm
H 908 mm

EXS 167

Cube size:
Square cube
Condensing system:
Air cooled
Water cooled
Max daily production:
77 kg Square cube



Storage bin capacity:
33 kg
Dimensions:
W 670 mm
D 595 mm
H 983 mm





GOURMET



Crystal clear, pure, hard and long-lasting ice cubes.
Ideal for up-scale operations such as hotels, fine dining, specialty coffee and high-end bars.
Its fast cooling action and slow dilution keep drinks chilled for a long time.



Small Gourmet
8 g - Ø 21 mm
H 25 mm



Medium Gourmet
20 g - Ø 30 mm
H 34 mm



Large Gourmet
39 g - Ø 38 mm
H 41 mm



Extra Large Gourmet
60 g - Ø 44 mm
H 46 mm

NEW EXG SERIES - R290

XSafe

Specsheets



EXG 47
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
26 kg Medium cubes



Storage bin capacity:
8 kg
Dimensions:
W 400 mm
D 555 mm
H 640 mm - Without legs

EXG 67
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
31 kg Medium cubes



Storage bin capacity:
11 kg
Dimensions:
W 400 mm
D 555 mm
H 700 mm - Without legs

EXG 87
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
45 kg Medium cubes



Storage bin capacity:
21 kg
Dimensions:
W 540 mm
D 555 mm
H 800 mm - Without legs

EXG 107
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
55 kg Medium cubes



Storage bin capacity:
21 kg
Dimensions:
W 540 mm
D 555 mm
H 800 mm - Without legs

- **XSafe:** is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute cleaning and hygiene. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
- **Clean alert:** advises with a blink when it's time to clean the filter.
- **Electronic control:** ambient and water temperatures may change throughout the years but your ice machine will stay the same.
- **Individual transparent solid cube:** each single cube is an artwork: crystal clear and perfectly shaped
- **PWD - Progressive Water Discharge:** pumps excess residual water up to a distance of 15 meters.
- **Built-in storage bin:** allows most undercounter installations for easier fit-in solutions.
- **EcoX:** products using natural refrigerants only, Hydrocarbons R290
- **Frontal 3D air ventilation** for built-in installation (max 38°) with removable air filter.
- **XWave:** new App to control the ice machine.
- **Elegant front black finish:** the sides are in stainless steel.

New features:
- Frontal display touch
- Magnetic ice scoop holder
- Delayed automatic start

EXG 167
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
83 kg Medium cubes



Storage bin capacity:
51 kg
Dimensions:
W 750 mm
D 585 mm
H 1000 - Without legs

EXG 207
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
96 kg Medium cubes



Storage bin capacity:
51 kg
Dimensions:
W 750 mm
D 585 mm
H 1000 mm - Without legs

EXG 307
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
148 kg Medium cubes



Storage bin capacity:
72 kg
Dimensions:
W 850 mm
D 756 mm
H 1000 mm - Without legs

EC SERIES - R290

XSafe

Specsheets



EC 47
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
24 kg Medium cubes



Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm

EC 57
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
33 kg Medium cubes



Storage bin capacity:
11 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm

EC 87
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
44 kg Medium cubes



Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 875 mm with legs

EC 107
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
53 kg Medium cubes



Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.
PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters.
Built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: products using natural refrigerants only, Hydrocarbons R290.

EC 127
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
70 kg Medium cubes



Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

EC 177
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
83 kg Medium cubes



Storage bin capacity:
48 kg
Dimensions:
W 680 mm
D 600 mm
H 990 mm / 1010 mm with legs

EC 207
Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
145 kg Medium cubes



Storage bin capacity:
50 kg
Dimensions:
W 1250 mm
D 622 mm
H 779 mm / 809 mm with legs

EC 227
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
165 kg Medium cubes



Storage bin capacity:
70 kg
Dimensions:
W 1078 mm
D 715 mm
H 1005 mm / 1085 mm with legs

AC SERIES - R290

Specsheets



AC 47
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
25 kg Medium cubes



Storage bin capacity:
9 kg
Dimensions:
W 386 mm
D 600 mm
H 645 mm

AC 57
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
33 kg Medium cubes



Storage bin capacity:
11 kg
Dimensions:
W 386 mm
D 600 mm
H 695 mm

AC 87
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
44 kg Medium cubes



Storage bin capacity:
19 kg
Dimensions:
W 531 mm
D 600 mm
H 785 mm / 875 mm with legs

AC 107
Cube size:
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
53 kg Medium cubes



Storage bin capacity:
23 kg
Dimensions:
W 531 mm
D 600 mm
H 840 mm / 930 mm with legs

Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Scale accumulation preventing system: traps ice makers' enemy No. 1 in one place and makes it harmless.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier.
Built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: the AC series is availabe on the EcoX version, using natural refrigerants only, Hydrocarbons R290.

AC 127

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
70 kg Medium cubes



Storage bin capacity:
39 kg
Dimensions:
W 680 mm
D 600 mm
H 920 mm / 1010 mm with legs

AC 177

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
83 kg Medium cubes



Storage bin capacity:
48 kg
Dimensions:
W 680 mm
D 600 mm
H 990 mm / 1080 mm with legs

AC 207

Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
145 kg Medium cubes



Storage bin capacity:
50 kg
Dimensions:
W 1250 mm
D 622 mm
H 779 mm / 860 mm with legs

AC 227

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
165 kg Medium cubes



Storage bin capacity:
70 kg
Dimensions:
W 1078 mm
D 715 mm
H 1005 mm / 1085 mm with legs

MXG SERIES - R290

XSafe

Specsheets



MXG 327
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
150 kg Medium cubes



Dimensions (Head only):
W 560 mm
D 700 mm
H 720 mm
Recommended bins:
SB 193, SB 322

MXG 427
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
170 kg Medium cubes



Dimensions (Head only):
W 560 mm
D 700 mm
H 720 mm
Recommended bins:
SB 193, SB 322

MXG 437
Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled
Water cooled
Max daily production:
170 kg Medium cubes



Dimensions (Head only):
W 765 mm
D 700 mm
H 720 mm
Recommended bins:
SB 393, SB 530

MXG 637
Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled
Water cooled
Air cooled remote
Max daily production:
300 kg Medium cubes



Dimensions (Head only):
W 765 mm
D 700 mm
H 1125 mm
Recommended bins:
SB 393, SB 530

MXG 937
Cube size:
Medium cube
Condensing system:
Air cooled
Max daily production:
400 kg Medium cubes



Dimensions (Head only):
W 773 mm
D 705 mm
H 1418 mm
Recommended bins:
SB 393, SB 530

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
External indicator lights: keep ice maker's operations under constant surveillance.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Clean alert: advises with a blink when it's time to clean the filter.
Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290.

MXG 438 ASR - R452

Cube size:
Small cube
Medium cube
Large cube
Condensing system:
Air cooled remote
Max daily production:
190 kg Medium cubes



Dimensions (Head only):
W 765 mm
D 700 mm
H 720 mm
Recommended bins:
SB 393, SB 530

MXG 638 ASR - R452

Cube size:
Small cube
Medium cube
Large cube
Extra Large cube
Condensing system:
Air cooled remote
Max daily production:
360 kg Medium cubes



Dimensions (Head only):
W 765 mm
D 700 mm
H 1125 mm
Recommended bins:
SB 393, SB 530

MXG 938 ASR - R452

Cube size:
Medium cube
Large cube
Condensing system:
Air cooled remote
Max daily production:
390 kg Medium cubes



Dimensions (Head only):
W 765 mm
D 700 mm
H 1235 mm
Recommended bins:
SB 393, SB 530

DXG 37

Ice Dispenser
Cube size:
Medium cube
Condensing system:
Air cooled
Water cooled
Max daily production:
30 kg Medium cubes



Storage bin capacity:
11 kg
Dimensions:
W 380 mm
D 515 mm
H 1606 mm /1696 mm with legs

* For all possible bin combinations available, please refer to chart at page 70.

Creatively Chilled




otsman



DICE



Classic six-sided ice cube. Its greater surface for heat exchange promotes rapid chilling. The perfect solution for QSR, cafés, banquet venues, catering and cinemas.



Half Dice
Small Cube

6 g
W 10 mm / D 22 mm / H 28 mm



Dice
Medium Cube

10 g
W 22 mm / D 22 mm / H 22 mm



Large

15 g
W 28 mm / D 22 mm / H 28 mm

NXW SERIES - R290

XSafe

Specsheets



NXW 307

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
150 kg Dice cubes



Dimensions (Head only):
W 565 mm
D 640 mm
H 635 mm

Recommended bins:
SB 193, SB 322, SB 530

NXW 457

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
200 kg Dice cubes



Dimensions (Head only):
W 767 mm
D 636 mm
H 600 mm

Recommended bins:
SB 393, SB 530, SB 948

NXW 507

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
250 kg Dice cubes



Dimensions (Head only):
W 565 mm
D 640 mm
H 635 mm

Recommended bins:
SB 193, SB 322, SB 530

NXW 607

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
300 kg Dice cubes



Dimensions (Head only):
W 767 mm
D 636 mm
H 600 mm

Recommended bins:
SB 393, SB 530, SB 948

* For all possible bin combinations available, please refer to chart at page 70.

Dice, Half Dice or Large: solid ice cubes in 3 different weight.
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute cleaning and hygiene. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Energy STAR and LEED Eligibility Criteria: all the ice machines, except NXW 1007 (Large).
Front evaporator access: hinged front panel
Tools free removal: internal parts (water sump, distribution tube, pump etc.)
Purge: automatic water cycle purge.
Head only ice maker: requires a separate storage bin to collect the ice produced*.
EcoX: products using natural refrigerants only, Hydrocarbons R290
Delayed automatic start

NXW 707

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
340 kg Dice cubes



Dimensions
W 565 mm
D 640 mm
H 683 mm

Recommended bins:
SB 193, SB 393, SB 530

NXW 1007

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
470 kg Dice cubes



Dimensions
W 765 mm
D 640 mm
H 780 mm

Recommended bins:
SB 393, SB 530, SB 948

* For all possible bin combinations available, please refer to chart at page 70.

NU SERIES - R290

XSafe

Specsheets



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Front-in & front-out air flow: no need to leave space on the back.
One touch cleaning: educes labor costs while saving time and simplifies cleaning process.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and make your ice maker live longer.
Ergonomic access to ice with sliding disappearing door: one touch door lift, makes barman's life significantly easier.
Easy cleaning: through routine maintenance.
Built-in storage bin: allows undercounter installations for easier fit-in solution, specifically for coffee shops.
EcoX: products using natural refrigerants only, Hydrocarbons R290.

NU 157

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
89 kg Dice cubes



Storage bin capacity:
20 kg
Dimensions:
W 600 mm
D 610 mm
H 744 mm / 770 mm
with short legs

NU 227

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
105 kg Dice cubes



Storage bin capacity:
37 kg
Dimensions:
W 650 mm
D 690 mm
H 842 mm / 870 mm
with short legs

NU 307

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled
Water cooled
Max daily production:
137 kg Dice cubes



Storage bin capacity:
37 kg
Dimensions:
W 650 mm
D 690 mm
H 881 mm / 1003 mm
with long legs

NW SERIES

XSafe

Specsheets



XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
One touch cleaning: reduces labor costs while saving time and simplifies cleaning process.
Front evaporator access: immediate access to the evaporating plate for quick self-maintenance operations.
Stackable: add flexibility! (only 30" models).
Condenser air filter: removable for easy maintenance.
Head only ice maker: requires a separate storage bin to collect the ice produced*.

NW 608 - ASR

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled remote
Max daily production:
315 kg Dice cubes



Dimensions (Head only):
W 760 mm
D 620 mm
H 575 mm
Recommended bins:
SB 393, SB 530

NW 1008 - ASR

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled remote
Max daily production:
485 kg Dice cubes



Dimensions (Head only):
W 760 mm
D 620 mm
H 800 mm
Recommended bins:
SB 530, SB 948

NW 1408 - ASR

Cube size:
Half Dice
Dice
Large
Condensing system:
Air cooled remote
Max daily production:
640 kg Dice cubes



Dimensions (Head only):
W 765 mm
D 610 mm
H 1000 mm
Recommended bins:
SB 530, SB 948

* For all possible bin combinations available, please refer to chart at page 70.



NUGGET



Compressed flake ice available either in regular micro-cubes or irregular chips. Multi-use versatility that's great with carbonated drinks and smoothies, while a perfect option for food and plate displays. Long lasting, easy to use, high and fast displacement, and hands-free dispensing.



Nugget

1 g / Ø 11 mm / H 13 mm
Residual water content 8%



Cubelet

Residual water content 8%

MFN SERIES
XSafe

Specsheets



MFN 47 - R290
Ice type:
Nugget
Condensing system:
Air cooled
Max daily production:
270 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 650 mm
Recommended bins:
SB 193, SB 322

MFN 57 - R290
Ice type:
Nugget
Condensing system:
Air cooled
Max daily production:
350 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530

Electronic control: ambient and water temperatures may change throughout the years but your ice machine will stay the same.
External indicator lights: keep ice machine's operations under constant surveillance.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute cleaning and hygiene. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.

MFN 56 ASR - R452

Ice type:
Nugget
Condensing system:
Air cooled remote
Max daily production:
570 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530

MFN 88 Split - R452

Ice type:
Nugget
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
2000 kg



Dimensions:
W 540 mm
D 962 mm
H 1254 mm
Recommended bins:
UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 70.

DXN SERIES - R290
AFC SERIES

Specsheets



DXN series
Appealing design: it can be smartly positioned in any situation, from luxury lounges to unconventional traditional pubs, allowing customers to cool their drinks to their own taste, without any hygiene hazards.
Display: appealing frontal all-black touch screen display. Touch-activated or touch-free version.
Footprint: large flow of ice in a small footprint.
Simple serviceability: extractable washable drip tray and anti-clog drain filter.

DXN 107
Ice & Water Dispenser
Ice type:
Cubelet
Condensing system:
Air cooled
Max daily production:
70 kg
Servings in peak time: 100
Servings per day: 1200



Storage bin capacity:
5 kg
Dimensions:
W 427 mm
D 552 mm
H 622 mm

DXN 187
Ice & Water Dispenser
Ice type:
Cubelet
Condensing system:
Air cooled
Max daily production:
140 kg
Servings in peak time: 200
Servings per day: 2400



Storage bin capacity:
10 kg
Dimensions:
W 427 mm
D 552 mm
H 699 mm

AFC/EFC series
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters (only EFC 137).
Built-in storage bin: allows undercounter installations for easier fit-in solution.

AFC 87
Ice type:
Cubelet
Condensing system:
Air cooled
Water cooled
Max daily production:
74 kg



Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm with legs

AFC 137
Ice type:
Cubelet
Condensing system:
Air cooled
Water cooled
Max daily production:
157 kg



Storage bin capacity:
44 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

EFC 137
Ice type:
Cubelet
Condensing system:
Air cooled
Water cooled
PWD - Progressive Water Discharge
Max daily production:
157 kg



Storage bin capacity:
44 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

Stirring Spirits







FLAKE



Ice produced just below zero degrees Celsius.
Highly versatile, it's suitable for multiple applications,
including fish display counters, buffet displays,
frozen drink preparations.



Flake

Residual water content 25%



Superflake

Residual water content 12-14%

AF SERIES
EF SERIES
XSafe



Specsheets

AF 87
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
70 kg

AF 87 LAB for Medical segment



Storage bin capacity:
25 kg
Dimensions:
W 535 mm
D 626 mm
H 800 mm / 889 mm with legs

AF 107
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
130 kg



Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077 mm with legs

AF 127
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
131 kg



Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

AF 157
Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Max daily production:
190 kg



Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm with legs

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Clean alert: advises with a blink when it's time to clean the filter.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
PWD - Progressive Water Discharge: pumps excess residual water up to a distance of 15 meters (only included in EF models).
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Ergonomic access to ice with sliding disappearing door: one-touch door lift, makes barman's life significantly easier (AF series).
AF/EF series - built-in storage bin: allows most undercounter installations for easier fit-in solutions.
EcoX: products using natural refrigerants only, Hydrocarbons R290.

EF 107

Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
130 kg



Storage bin capacity:
30 kg
Dimensions:
W 592 mm
D 622 mm
H 997 mm / 1077 mm with legs

EF 127

Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
131 kg



Storage bin capacity:
40 kg
Dimensions:
W 950 mm
D 605 mm
H 789 mm / 869 mm with legs

EF 157

Ice type:
Flake
Condensing system:
Air cooled
Water cooled
Optional:
PWD - Progressive Water Discharge
Max daily production:
190 kg



Storage bin capacity:
60 kg
Dimensions:
W 950 mm
D 605 mm
H 1000 mm / 1080 mm with legs

MXF SERIES

XSafe

Specsheets



MXF 327
Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
133 kg



Dimensions (Head only):
W 560 mm
D 615 mm
H 450 mm
Recommended bins:
SB 193, SB 322

***available in WELLNESS version**

MXF 427
Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
215 kg



Dimensions (Head only):
W 560 mm
D 615 mm
H 600 mm
Recommended bins:
SB 193, SB 322

***available in WELLNESS version**

MXF 627
Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
300 kg



Dimensions (Head only):
W 560 mm
D 615 mm
H 600 mm
Recommended bins:
SB 193, SB 322

Type of ice: Superflake ice, only 12%-14% residual water.
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290.
New display: touch and smart.
XWave: new App to control the ice machine

MXF 1027

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
500 kg



Dimensions (Head only):
W 560 mm
D 615 mm
H 735 mm
Recommended bins:
SB 193, SB 322

MXF 1237

Ice type:
Superflake
Condensing system:
Air cooled
Water cooled
Max daily production:
550 kg



Dimensions (Head only):
W 765 mm
D 615 mm
H 650 mm
Recommended bins:
SB 193, SB 322

* For all possible bin combinations available, please refer to chart at page 70.

MXW WELLNESS SERIES

XSafe

Specsheets



Type of ice: Flake ice breaker 25% residual water.
XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R290.
New display: touch and smart.
XWave: new App to control the ice machine

MXW 327 wellness

Ice type:
Flake ice 25%
Condensing system:
Air cooled
Water cooled
Max daily production:
146 kg



Dimensions (Head only):
W 560 mm
D 615 mm
H 450 mm
Recommended bins:
SB 193, SB 322

MXW 427 wellness

Ice type:
Flake ice 25%
Condensing system:
Air cooled
Water cooled
Max daily production:
247 kg



Dimensions (Head only):
W 560 mm
D 600 mm
H 600 mm
Recommended bins:
SB 193, SB 322



MF SERIES

XSafe

Specsheets



MF 59 Split - R744 (CO2)

Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
700 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 530, SB 948, SB 1025

MF 69 Split - R744 (CO2)

Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1400 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

* For all possible bin combinations available, please refer to chart at page 70.

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
External indicator lights: keeps ice maker's operations under constant surveillance.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*
EcoX: products using natural refrigerants only, Hydrocarbons R744 (only MF 59/69 Split).

MF 56 ASR - R452

Ice type:
Superflake
Condensing system:
Air cooled remote
Max daily production:
600 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 393, SB 530, SB 948, SB 1025

MF 66 ASR - R452

Ice type:
Superflake
Condensing system:
Air cooled remote
Max daily production:
1150 kg



Dimensions (Head only):
W 1065 mm
D 698 mm
H 860 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

MF 86 ASR - R452

Ice type:
Superflake
Condensing system:
Air cooled remote
Max daily production:
2400 kg



Dimensions:
W 1080 mm
D 956 mm
H 1140 mm / 1255 mm with legs
Recommended bins:
UBH 2250, SIS 1350

* For all possible bin combinations available, please refer to chart at page 70.

MF SERIES
XSafe

Specsheets



MF 58 Split - R452
Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
600 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 530, SB 948, SB 1025

MF 68 Split - R452
Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1150 kg



Dimensions (Head only):
W 538 mm
D 663 mm
H 790 mm
Recommended bins:
SB 948, SB 1025, UBH 1100, UBH 1600

MF 88 Split - R452
Ice type:
Superflake
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
2500 kg



Dimensions:
W 540 mm
D 965 mm
H 1140 mm / 1255 mm with legs
Recommended bins:
UBH 2250, SIS 1350

XSafe: is a natural Cleaning system, integrated inside the icemaker and operating automatically 24/7 ensuring absolute **cleaning and hygiene**. It destroys over 99% of viruses and bacteria, and reduces substantially the formation of mold, mildew, yeast, slime and odours.
Electronic control: ambient and water temperatures may change throughout the years but your ice maker will stay the same.
External indicator lights: keeps ice maker's operations under constant surveillance.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Global standard footprint: strictly follows international imperial standards commonly adopted in the industry of reference.
Water in / ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Head only ice maker: requires a separate storage bin to store the ice produced.*





SCALE



Featuring less than 2% residual water content, it's our coldest form of ice and is very dry. Made by irregular fragments of ice with a variable thickness adjustable from 1 to 2 mm. Ideal for food processing and large food displays in supermarkets.

Scale ice

Residual water content 2%

MAR SERIES
ASR

Specsheets



Stainless steel horizontal evaporating drum: for a life-long working endurance.
Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
All water in / all ice out concept (no cycles, zero water wastage): limits to almost zero excess energy, water and time wastage.
Compact configuration: includes evaporator, compressor and condensing units, and it is supplied without panels on the group (optional).

MAR 306 ASR - R452

Ice type:
Scale ice
Condensing system:
Air cooled remote
Max daily production:
2100 kg



Dimensions:
W 1326 mm
D 676 mm + 177 mm
H 1125 mm



MAR SERIES
SPLIT MODELS

Specsheets



MAR 79 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
540 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 109 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
648 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 129 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1000 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 209 - R744
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1600 kg



Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

Stainless steel horizontal evaporating drum: for a life-long working endurance.
Floor standing compatible: delivers ice straight into carts, trolleys or ice boxes.
Plug-and-work technology: starts off and constantly produces ice thanks to a no-cycle harvesting system.
Split configuration: evaporator supplied only. For connections to remote condensing units, either dedicated or centralized.
EcoX: products using natural refrigerants only MAR 79/109/129/209 (R744).

MAR 78 - R452
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
510 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 108 - R452
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
650 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 128 - R452
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1000 kg



Dimensions:
W 906 mm
D 621 mm + 192 mm
H 520 mm

MAR 208 - R452
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
1580 kg



Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm

MAR 308 - R452
Split configuration
Ice type:
Scale ice
Condensing system:
For connection to dedicated or centralized refrigeration system
Max daily production:
2200 kg



Dimensions:
W 1326 mm
D 661 mm + 192 mm
H 520 mm



Ice Storage Systems



SB SERIES

Slope front bins. Insulated, inside rounded corner, for daily turnover of ice.
Easy to clean and maintain, removable gaskets.
The reinforced hinges provide enhanced durability. The slope front makes access to ice as easy as possible.
From 129 kg to 478 kg storage capacity range.
Compatible with any type of ice.



UBH SERIES

Upright bins. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene.
Insulated, inside rounded corner, of higher capacity demand for ice and longer stock periods.
Sturdy enough to sustain even the largest ice makers. Front windows allow operators to always keep an eye on the product inside.
From 553 kg to 1068 kg storage capacity.
Compatible with any type of ice.



SIS SERIES

Upright bins with integral trolleys. First-in first-out concept provides a constantly fresh ice supply and high level of hygiene.
73 kg capacity trolleys, insulated and top-closed with lids, facilitate ice transportation. Ice falls down into trolleys gravitationally, with no need of tiresome shoveling.
Insulated, inside rounded corner, for higher capacity demand for ice and longer stock periods. Sturdy enough to sustain even the largest ice makers.
Front windows allow operators to always keep an eye on the product inside.
From 210 kg to 759 kg storage capacity.
Compatible with any type of ice.

SB SERIES

SB 193
Storage capacity:
129 kg



Dimensions:
W 568 mm
D 845 mm
H 1048 mm

SB 322
Storage capacity:
168 kg



Dimensions:
W 569 mm
D 869 mm
H 1271 mm

SB 393
Storage capacity:
181 kg



Dimensions:
W 768 mm
D 845 mm
H 1048 mm

SB 530
Storage capacity:
243 kg



Dimensions:
W 771 mm
D 865 mm
H 1270 mm

SB 550
Storage capacity:
252 kg



Dimensions:
W 1082 mm
D 824 mm
H 968 mm

SB 948
Storage capacity:
406 kg



Dimensions:
W 1238 mm
D 869 mm
H 1272 mm

SB 1025
Storage capacity:
478 kg



Dimensions:
W 1331 mm
D 871 mm
H 1272 mm

UBH SERIES

UBH 1100
Storage capacity:
553 kg



Dimensions:
W 1220 mm
D 1128 mm
H 1427 mm

UBH 1600
Storage capacity:
812 kg



Dimensions:
W 1524 mm
D 1128 mm
H 1731 mm

UBH 2250
Storage capacity:
1068 kg



Dimensions:
W 1828 mm
D 1468 mm
H 1292 mm

SIS SERIES

SIS 300

Storage capacity:
137 kg + 73 kg ice cart



Dimensions:
W 884 mm
D 1025 mm
H 1343 mm

SIS 700

Storage capacity:
318 kg + 73 kg ice cart



Dimensions:
W 885 mm
D 1267 mm
H 1803 mm

SIS 1350

Storage capacity:
613 kg + 73 kg + 73 kg ice carts



Dimensions:
W 1753 mm
D 1267 mm
H 1803 mm

ACCESSORIES
CARTS AND TOTES





Scotsman

Head/bin combination chart

	SB193/NB193	SB322	SB393/NB393	SB530	SB550	SB948	SB1
MODULAR UNITS / BINS	129	168	181	243	252	406	47
MXG327	✔	✔					
MXG427	✔	✔			BINTOPMXGSB55		
MXG437			✔	✔	BINTOPMXGSB55		
MXG638/MXG637			✔	✔	BINTOPMXGSB55	CBT48EFCD	CBT52
MXG938/ MXG937			✔	✔	BINTOPMXGSB55	CBT48EFCD	CBT52
NW307/NXW307	✔	✔	CBT30EMCD	CBT30EMCD			
NW308/NXW308	✔	✔	CBT30EMCD	CBT30EMCD			
NW507/NXW507	✔	✔	CBT30EMCD	CBT30EMCD			
NW508/NXW508	✔	✔	CBT30EMCD	CBT30EMCD			
NW457/NXW457			✔	✔	CBT42EFCD	CBT48EFCD	
NW458/NXW458			✔	✔	CBT42EFCD	CBT48EFCD	
NW607/NXW607			✔	✔	CBT42EFCD	CBT48EFCD	
NW608/NXW608			✔	✔	CBT42EFCD	CBT48EFCD	
NXW707	✔	✔	CBT30EMCD	CBT30EMCD			
NXW708	✔	✔	CBT30EMCD	CBT30EMCD			
NXW1007			✔	✔	CBT42EFCD	CBT48EFCD	CBT52
NW1008/NXW1008			✔	✔	CBT42EFCD	CBT48EFCD	CBT52
NW1408				✔	CBT42EFCD	CBT48EFCD	CBT52
MFN86							
MFN88							
MXF 327	✔	✔	CBT 30 EFCD	CBT 30 EFCD	CBT42EFCD		
MXF 427	✔	✔	CBT 30 EFCD	CBT 30 EFCD	CBT42EFCD	CBT48EFCD	
MXF 627	✔	✔	CBT 30 EFCD	CBT 30 EFCD	CBT42EFCD	CBT48EFCD	CBT52
MXF 1027		✔	CBT 30 EFCD	CBT 30 EFCD	CBT42EFCD	CBT48EFCD	CBT52
MXF 1237			✔	✔	CBT42EFCD	CBT48EFCD	CBT52
MF46	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFCD	CBT48EFCD	CBT52
MF47	CBT22EFCD	CBT22EFCD	CBT30EFSD	CBT30EFSD	CBT42EFCD	CBT48EFCD	CBT52
MF56	CBT22EFCD		CBT30EFSD	CBT30EFSD	CBT42EFCD	CBT48EFCD	CBT52
MF57			CBT30EFSD	CBT30EFSD	CBT42EFCD	CBT48EFCD	CBT52
MF58			CBT30EFSD	CBT30EFSD	CBT42EFCD	CBT48EFCD	CBT52
MF59			CBT30EFSD	CBT30EFSD	CBT42EFCD	CBT48EFCD	CBT52
MF66							
MF68						CBT48EFCD	CBT52
MF69						CBT48EFCD	CBT52
MF86/88							
MAR56							
MAR76/78							
MAR79							
MAR106/108							
MAR109							
MAR126/128/129							
MAR206/208							
MAR306/308							

✔ Perfect combination between ice-maker and bin ● Ice chute cut-out performed upon installation
CBT xxxxxxxxxx need additional bin top

025	UBH1100	UBH1600	UBH2250	SIS300	SIS700	SIS1350	
78	553	812	1068	137 + 73	318 + 73	613+73+73	**BINS / MODULAR UNITS**
							MXG327
	●	●			●	●	**MXG427**
	●	●			●	●	**MXG437**
EFCD	●	●			●	●	**MXG638/MXG637**
EFCD	●	●			●	●	**MXG938/ MXG937**
					●	●	**NW307/NXW307**
					●	●	**NW308/NXW308**
					●	●	**NW507/NXW507**
					●	●	**NW508/NXW508**
					●	●	**NW457/NXW457**
					●	●	**NW458/NXW458**
					●	●	**NW607/NXW607**
					●	●	**NW608/NXW608**
					●	●	**NXW707**
					●	●	**NXW708**
EFCD	●	●			●	●	**NXW1007**
EFCD	●	●			●	●	**NW1008/ NXW1008**
EFCD	●	●			●	●	**NW1408**
			●			●	**MFN86**
			●			●	**MFN88**
				●			**MXF 327**
				●			**MXF 427**
EFCD	●			●	●		**MXF 627**
EFCD	●	●		●	●		**MXF 1027**
EFCD	●	●		●	●		**MXF 1237**
EFCD	●			●	●		**MF46**
EFCD	●			●	●		**MF47**
EFCD	●	●		●	●		**MF56**
EFCD	●	●		●	●		**MF57**
EFCD	●	●		●	●		**MF58**
EFCD	●	●		●	●		**MF59**
	●	●	●			●	**MF66**
EFCD	●	●	●			●	**MF68**
EFCD	●	●	●			●	**MF69**
			●			●	**MF86/88**
	●	●	●	●	●	●	**MAR56**
	●	●	●	●	●	●	**MAR76/78**
	●	●	●	●	●	●	**MAR79**
	●	●	●		●	●	**MAR106/108**
	●	●	●		●	●	**MAR109**
	●	●	●		●	●	**MAR126/128/129**
		●	●			●	**MAR206/208**
		●	●			●	**MAR306/308**

OTHER PRODUCTS

SCW 14 B - EVO - R290
Pressure water cooler
Max cooled litres/hour:
50 litres



Dimensions:
W 404 mm
D 332 mm
H 1034 mm

SCW 14 FP - EVO - R290
Pressure water cooler
Max cooled litres/hour:
50 litres



Dimensions:
W 404 mm
D 332 mm
H 1034 mm

SW 12 USPH - R290
Pressure water cooler
Max cooled litres/hour:
50 litres



Dimensions:
W 400 mm
D 330 mm
H 865 mm

SW 12 S - R290
Pressure water cooler
Max cooled litres/hour:
50 litres



Dimensions:
W 432 mm
D 360 mm
H 505 mm

HD 22
Ice dispenser
Storage Capacity:
59 kg
Dispensing unit to be combined with an ice maker



Dimensions:
W 559 mm
D 850 mm
H 1351 mm

HD 30
Ice dispenser
Storage Capacity:
81 kg
Dispensing unit to be combined with an ice maker



Dimensions:
W 762 mm
D 850 mm
H 1351 mm

CRUSHMAN 360
Crushes all ice cubes
6 kg per minute



Dimensions:
W 245 mm
D 430 mm
H 490 mm

RBC Stand and Carts
RBC 200: 100 kg
RBC 300: 150 kg
RBC 500: 250 kg



RBC STAND
Dimensions:
W 1061 mm
D 984 mm
H 1105 mm

RBC 200
Dimensions:
W 83 mm
D 74 mm
H 74 mm
Gross weight: 22 kg

RBC 300
Dimensions:
W 84 mm
D 74 mm
H 99 mm
Gross weight: 36 kg

RBC 500
Dimensions:
W 128 mm
D 98 mm
H 91 mm
Gross weight: 42 kg



Global supplier for global markets

SCOTSMAN USA - HQ
USA, Canada, Latin America
Scotsman Ice Systems
101 Corporate Woods Parkway
Vernon Hills, IL 60061
Ph: +1-847-215 4500
Fax: +1-847-913 9844
sales@scotsman-ice.com
www.scotsman-ice.com

SCOTSMAN INTERNATIONAL - HQ
Europe, Africa, Middle East,
Asia & Pacific
Scotsman Ice
Via Lainate 31
20005 Pogliano Milanese
Milan - Italy
Ph: +39-02-93960 208
info@scotsman.it
www.scotsman-ice.it

CHINA MAINLAND
Scotsman Ice Systems (Shanghai)
Co., Ltd.
Room 2505, Building 2
20 Xuhong Middle Road,
Xuhui District
Shanghai China 200235
Ph: +86-21-6131 3200
Fax: +96-21-6131 3330
sales@scotsman-china.com
www.scotsman-china.com

ASIA & PACIFIC
Scotsman Industries Singapore
Pte Ltd
140 Paya Lebar Road
#08-09 AZ @ Paya Lebar
Singapore 409015
Ph: +65-6738 5393
Fax: +65-6738 1959
scotsman@scotsman.com.sg

SOUTH & CENTRAL AFRICA
Scotsman Ice Systems SA (Pty) Ltd
P.O. Box 30072, Jetpark, 1467
Unit 4 Lakeview Business Park
8-10 Yaldwyn Road, Jetpark,
Boksburg, RSA
Ph: +27-11-826-6742/1
+27-087-720 0245/6/7/8
Fax: +27-11-826-4123
+27-086-634 0803
stuart@scotsmansa.co.za
jennifer@scotsmansa.co.za

MIDDLE EAST & NORTH AFRICA
Scotsman Ice
Regional Branch (MEnA)
POBox: 42026, Sharjah, UAE
Hamriyah Free-Zone Phase # 2,
Logistic Village Warehouse # LV-10/A
ph office + 9716 5262 944
mobile 971 506 369 805
Mr. Osman S.M.
osman.sm@scotsman.ae

SPAIN
Scotsman España, S.L.U.
c/ Galapagar, 12
Poligono Industrial Ventorro del Cano
28925 Alcorcon (Madrid)
Ph: +34-91-1109796
Fax: +34-91-6337423
scotsman@scotsman-espana.es
www.scotsman-espana.es

SCOTSMAN-ICE.IT

01/01/2027